

WEST OF INSTRUMENTATION SITE 2

SARY SHAGAN ANTIMISSILE TEST CENTER,

USSR

Declassification by NIMA/DoD

25)

25

CIA/PIR 61083

DATE

Dec 1965

COPY

88

GROUP 1 Excluded from automatic downgrading and declassification TOP SECRET

COPY			COPY NO.	PUB. DATE		LOCATION	١		MAST	ER	DATE RECEIVED	LOCATION		-
				ØedPFt5r ⁱ Rel	eas	e 2003/	08/05	C(A	KRDF	78T	05៕6 ከኋ000400010014-	O _{MAX I MUM}	8	
COP	TO IES	0	DATE 1-72	CUT TO COPIES		DATE		COPI	ES DE	STROY	ED			****
CUT COP			DATE	CUT TO COPIES		DATE							2100	
COP			DATE	MASTER		DATE								
	DATE		RECEIVED OR	LCCUED	NUM	BER OF C	OPIES		DATE		DECELUED OF LOCKED	NUMBE	R OF C	OPIES
мо.	DAY	YR.	RECEIVED OR	122050	REC'	D ISS'D	BAL	мо.	DAY	YR.	RECEIVED OR ISSUED	REC D	155'0	BAL
9	3	68	Dist. Unit #9	0-97	8		8	l				•		
6	23	72	AFTENES	# 90		\$	Ŧ							
6	23	72	DEST 91	-97			0	W	K	6				
	,		•											
			77770	· · · · · · · · · · · · · · · · ·										
				•				ļ					-	-
						-								
	-													
						-								
														1
TITL	E]	NPIC	Approv	ved For Re	eas	≥¹2003/ 1965	08/05	CIA	-RDF	₽ 78 ∓	05161A000400010014	0		
5X1	٦		65 PIR	61083		,,,,,		TS/				2513	, r	25)

	OTA/PIP 61093
	CIA IMAGERY ANALYSIS DIVISION CIA/PIR-61083
	LIST OF ILLUSTRATIONS
Figure 1 -	Location of the new road west of Instrumentation Site 2, Sary Shagan Antimissile Test Center,
Figure 2 -	Photograph of area of new activity west of Instrumentation Site 2, Sary Shagan Antimissile Test Center,
Figure 3 -	Distance relationships from the new possible launch site to selected areas within the Sary Shagan Antimissile Test Center
Figure 4 -	Photograph and unrectified line drawing of possible launch site under construction at terminus of the new road, Sary Shagan Antimissile Test Center,
Figure 5 -	Rectified line drawing (scale - 30 feet equals one inch) of possible launch site under construction at terminus of the new road, Sary Shagan Antimissile Test Center
Figure 6 -	Photograph of possible missile assembly and checkout area west of Instrumentation Site 2, Sary Shagan Antimissile Test Center,
Figure 7 -	Unrectified line drawing of possible missile assembly and checkout area west of Instrumentation Site 2, Sary Shagan Antimissile Test Center,

LOCATION OF THE NEW ROAD WEST OF INSTRUMENTATION SITE 2-SSATC, USSR




FIGURE 1

Approved For Release 20000005: CIA-RDP78T05161A000400010014-0

5X1

5X1

X1

Approved For Release 2003/08 /05 : CIA-RDP78T05161A	.000 400010014-0
CIA IMAGERY ANALYSIS DIVISION	CIA/PIR-61083

POSSIBLE LAUNCH SITE WEST OF INSTRUMENTATION SITE 2

SARY SHAGAN ANTIMISSILE TEST CENTER, USSR

45-53N 073-24E

INTRODUCTION

	•
	a new road was observed under con-
structio	n approximately 2 nautical miles (nm) north of Sary Shagan Anti-
missile	Test Center Instrumentation Site 2. Initial construction had
extended	the road approximately 3.2 nm westward from its intersection with
the Inst	rumentation Site 2 access road; its activity can be negated on
	, a
possible	missile assembly and checkout facility was under construction a
short di	stance west of the intersection and one year later,
	a possible missile launch site was under construction
at the t	erminus of this road, approximately 6.4 nm west of Sary Shagan
Antimiss	ile Test Center Instrumentation Site 2 (Figures 1 and 2). This
	resents a chronology and analysis of the photographic evidence of
this new	activity and includes the most recent photographic coverage
	with line drawings and mensuration.

POSSIBLE LAUNCH SITE 45-53N 073-24E

The possible launch site, being constructed within a 615 by 820 foot secured area, is located 14.6 nm southwest of Sary Shagan Radar Site 1 (HEN HOUSE) and 6.4 nm west of Sary Shagan Instrumentation Site 2, at the terminus of a newly constructed road (Figures 1 through 5). The road serving the site hooks sharply toward the north just before entering the secured area. A loop-shaped road, apparently receiving a layer of black top, occupies the southern half of the secured area.

The section of the access road within the secured area bypasses the loop road and appears to terminate at an area of dark scars suspected to contain an excavation. The loop road ties into the access road in a manner suggesting that an incoming missile will receive final servicing/inspection at the loop road, following which it would be transported back onto the access road for further movement into the secured area and to its possible launch point.

A roughly circular excavation, approximately 40 feet in diameter, is located just east of the access road terminus. A faint area of unidentified activity, served by a looping ground scar, is located approximately 655 feet west of the loop road pattern. An unidentified structure measuring

25 25

25X

25X

25

	For Release 2003/08/05 : CIA-RDP78T09	
	CIA IMAGERY ANALYSIS DIVISION	CIA/PIR-61083
approximately 50 area. A rectified presented in Figure	by 25 feet is located adjacent the l line drawing, at a scale of 30 f re 5.	entrance to the secured eet to the inch, is
<u>P0</u>	SSIBLE MISSILE ASSEMBLY AND CHECKO	UT AREA
buildings, is local 2,800 feet west of Site 2 (Figures 2, portion of a secur storage tank are 1 portion of the are through buildings	missile assembly and checkout are ted on the north side of the new to the intersection with the access 6, and 7). As of photography of tity fence can be identified. Two ocated east of this fence, and postate. Three of the buildings in the or have contiguous hard-surfaced as a partially secured area.	road, approximately road to Instrumentation only a buildings and a possibl ssibly outside of the se area are possibly drive

Analysis of photographic evidence indicates that the designated function, "possible missile launch site," is reasonable and more likely than other functions considered. This evidence includes the following.

- 1. The road serving the secured site was constructed especially to provide access to the possible launch area and terminates at the site just after a sharp change in direction. The latter suggests that the orientation or azimuth of the inclosed facility is important.
 - 2. The secured area contains a hard surfaced loop type road or pad

-2-

Approved For Release 2003/08/05 : CIA-RDP78T05161A000400010014-0 AREA OF NEW ACTIVITY WEST OF INSTRUMENTATION SITE 2, SSATC, USSR

Approved For Release 2003/08/05 :	CIA-RDP78T05161A000400010014-0
-----------------------------------	--------------------------------

CIA IMAGERY ANALYSIS DIVISION

CIA/	PIR-61	-083

25X

configuration, served by wide angle turn-offs from the site access road.

- 3. The possible launch site is located at a missile test center in a relatively isolated area. The area selected for the site suggests that its precise location was just as important as its distance from the other facilities at the range (Figures 1, 2, and 3).
- 4. Construction on the possible launch site commenced shortly after construction on the possible missile assembly and checkout area began and both are served by the same road.

Of the other functions considered during this analysis, electronics or instrumentation were possible candidates. However, these were ruled out for the following reasons.

- 1. The support area (Figures 6 and 7) contains possible drive through or apron-served buildings which suggests that its function is possibly missile assembly and checkout.
- 2. The support area (possible missile assembly and checkout area) is too far away to be an electronics or instrumentation site support area. It is recognized that the distance is rather unique for a launch site support area as well, however there would seem to be less justification for such distance in the case of electronics or instrumentation.
- 3. Instrumentation Site 2 is probably capable of supporting, if necessary, additional electronics or instrumentation facilities. Furthermore, if the position in question were electronics or instrumentation, the support area for Instrumentation Site 2 would suffice as a support facility for the new site, probably with only minor additions.
- 4. The road serving the position in question appears to be too well improved to be serving a relatively small electronics or instrumentation site.

DISCUSSION

The location of this possible launch site in the general vicinity of Instrumentation Site 2 is probably significant, this being one of the four sites at the missile test center which have an electronics facility consisting of a building triad similar to those being deployed at Moscow.*

-3-

^{*} Probable GALOSH launch sites have been identified in the triad area at Sary Shagan's Launch Complex B, and have been reported as probably under construction at Moscow SAM Site E33-1 (See Document Reference 7).

Though the Sary Shagan Antimissile Test Center Launch Complex B triad is the only one at Sary Shagan which has the large domed environmental shelter similar to those being constructed at Moscow, an adjacent building at Instrumentation Site 2 does carry a domed environmental shelter approximate 125 feet in diameter. Of particular interest is the prominent trench which connects the new road with the Instrumentation Site 2 operations area (Figure 2). The partially dug trench was first seen on and was extended to the instrumentation site operations area sometime between This trench is suspected to paralle the new road toward the possible launch site, while the other end leads directly toward the instrumentation site building with the 125 foot domed environmental shelter. Though the trench cannot be seen entering the domed building, its presence brings to mind the equally prominent trench seen connecting the Launch Complex B triad facility with nearby launch sites at Facility B and C. With the exception of distances on Figure 3, which were made by the CIA/IAD analyst using DESPA series map sheets, all measurements in this report were made by the NPIC Technical Intelligence Division and are considered to be accurate within ±10 feet or 5 percent, whichever is greate Azimuths shown are considered accurate		OP SECRET	
the only one at Sary Shagan which has the large domed environmental shelter similar to those being constructed at Moscow, an adjacent building at Instrumentation Site 2 does carry a domed environmental shelter approximate 125 feet in diameter. Of particular interest is the prominent trench which connects the new road with the Instrumentation Site 2 operations area (Figure 2). The partially dug trench was first seen on and was extended to the instrumentation site operations area sometime between This trench is suspected to paralle the new road toward the possible launch site, while the other end leads directly toward the instrumentation site building with the 125 foot domed environmental shelter. Though the trench cannot be seen entering the domed building, its presence brings to mind the equally prominent trench seen connecting the Launch Complex B triad facility with nearby launch sites at Facility B and C. With the exception of distances on Figure 3, which were made by the CIA/IAD analyst using DESPA series map sheets, all measurements in this report were made by the NPIC Technical Intelligence Division and are considered to be accurate within +10 feet or 5 percent, whichever is greate Azimuths shown are considered accurate		CIA IMAGERY ANALYSIS DIVISION	CIA/PIR-61083
road with the Instrumentation Site 2 operations area (Figure 2). The partially dug trench was first seen on and was extended to the instrumentation site operations area sometime between	the only one at Sary S similar to those being Instrumentation Site 2	hagan which has the large d constructed at Moscow, an	omed environmental shelter adjacent building at
With the exception of distances on Figure 3, which were made by the CIA/IAD analyst using DESPA series map sheets, all measurements in this report were made by the NPIC Technical Intelligence Division and are considered to be accurate within +10 feet or 5 percent, whichever is greate Azimuths shown are considered accurate	road with the Instrume partially dug trench wand was extended to the between the new road toward the directly toward the in environmental shelter. building, its presence connecting the Launch	entation Site 2 operations a ras first seen on the instrumentation site operations are instrumentation site operations. This trender possible launch site, which is trumentation site building a Though the trench cannot brings to mind the equally	rea (Figure 2). The ations area sometime ch is suspected to paralle le the other end leads with the 125 foot domed be seen entering the domed prominent trench seen
ALF ERENCED	CIA/IAD analyst using report were made by th considered to be accur	DESPA series map sheets, all ne NPIC Technical Intelligen rate within +10 feet or 5 persidered accurate	l measurements in this ce Division and are
		NEF EXENCES	

		CIA IMAC	GERY ANALYSIS DIVISION	N	CIA/PIR-61083
MAPS AN	D CHARTS				
AC			, Series 200, Sh tion, March 1963		and 245-15, Scal
AM		s DESPA-1, 1st 1962 (TOP SECR	edition, Scale	1:250,000, S	heet NL 43-4,
AM		s DESPA-1, 1st 1962 (TOP SECRE	edition, Scale	1:250,000, S	heet NL 43-5,
AM		DESPA-1, lst 1962 (TOP SECR	edition, Scale	1:250,000, S	heet NL 43-7,
DOCUMEN	TS				
1.		randum report ation Analysis,	M/E September 1963		ry Shagan Select
2.			on of Possible		
3.			Possible AMM As 1964-March 1965		
	CIA PIR	D ₁	Oual HEN HOUSE R USSR, April 19	Radar Sites -	Angarsk, Sary
4.	Shagan a	na Olenegorsk,	<u> </u>	(

I	Approved For Release (2003/08/05 : CIA-RDP78T05161A000400010014-0
	CIA IMAGERY ANALYSIS DIVISION CIA/PIR-61083
5.	CIA/PIR-61067, Analysis of Select Activity Launch Complexes A & B, Sary Shagan Antimissile Test Center, USSR, November 1965 (TOP SECRET
6.	CIA PIR New Dirt Strip Under Construction and Sary Shagan Airfield Southwest, Sary Shagan, USSR, May 1965 (TOP SECRET
7.	CIA/PIR-61068, Launch Complex B, Sary Shagan Antimissile Test Center, USSR, 1960-1965 (TOP SECRET
REQUIREM	ENT
C-S	14-81,862
CIA/IAD	PROJECT
308	36-4


	CIA IMAGERY ANALYSIS DIVISION	CIA/PIR-61083
MAPS AND CHART		
ACIC. US	S Air Target Chart, Series 200, Sheet L:200,000, 2nd edition, March 1963 (S	s 245-14 and 245-15, Scale ECRET)
AMS. Se	eries DESPA-1, lst edition, Scale 1:2 June 1962 (TOP SECRET	50,000, Sheet NL 43-4,
	eries DESPA-1, 1st edition, Scale 1:2 May 1962 (TOP SECRET	50,000, Sheet NL 43-5,
AMS. Se	eries DESPA-1, 1st edition, Scale 1:2 June 1962 (TOP SECRET	50,000, Sheet NL 43-7,
DOCUMENTS		
1. CIA r	memorandum report M/EB 4 tallation Analysis, September 1963 (T	-10/63, Sary Shagan Selecte
2. CIA/I	PIR-13/64, <u>Comparison of Possible AMM</u> cow and Sary Shagan, <u>USSR</u> , August and	Associated Facilities at September 1963 (TOP SECRE
3. NPIC	PIR Possible AMM Assoc a, USSR, September 1964-March 1965 (T	ciated Activity Moscow
4. CIA	PIR Dual HEN HOUSE Rada gan and Olenegorsk, USSR, April 1965	ar Sites - Angarsk, Sary

25) 25)

	CIA IMAGERY ANALYSIS DIVISION CIA/PIR-01003
5.	CIA/PIR-61067, Analysis of Select 1964-65 Activity Launch Complete A & B, Sary Shagan Antimissile Test Center, USSR, November 1965
6.	CIA PIR New Dirt Strip Under Construction and Sary Shagan Airfield Southwest, Sary Shagan, USSR, May 1965 (TOP SEC
7.	CIA/PIR-61068, Launch Complex B, Sary Shagan Antimissile Test Course, 1960-1965 (TOP SECRET
REQUIREM	ENT
C-S	I4 - 81,862
CIA/IAD	PROJECT
308	36-4


CIA/PIR-61083


DISTANCE RELATIONSHIPS FROM NEW POSS. LAUNCH SITE TO SELECTED AREAS WITHIN SSATC, USSR




distances in nautical miles


Approved For Release 2003/08/05 : CIA-RDP78T05161A000400010014-0






25)







X1

POSS LAUNCH SITE U/C - TERMINUS OF THE NEW ROAD - SSATC






Unrectified drawing as taken from the above photography



POSS. MISSILE ASSEMBLY AND CHECKOUT AREA


SARY SHAGAN USSR



POSS. MISSILE ASSEMBLY AND CHECKOUT AREA

SARY SHAGAN USSR

25)



DIMENSIONS AND POSSIBLE FUNCTION OF ANNOTATED STRUCTURES

1. $45' \times 140'$ — barracks/administration
2. $25' \times 35'$ — equipment/storage
3. $45' \times 65'$ — poss. drive-through building
4. 15' diam — storage tank
5. $50' \times 70'$ — maintenance/equipment
6. $40' \times 70'$ — equipment/storage
7. $60' \times 80'$ — maintenance/equipment
8. $40' \times 90'$ — poss. drive-through building
9. 25' diam — tower or tank
10. $15' \times 50'$ — equipment/storage
11. $65' \times 80'$ — poss. drive-through building
12. $85' \times 90'$ — hardstand

FIGURE 7 Approved For Release 2003/08/06: CIA-RDP78T05161A000400010014-0

25)

Approved For Release 2073095 : SERRE 05161A000400010014-0